

### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

#### **Listing of Claims:**

Claim 1 (Currently Amended): A method for multi-dimensional color transformation comprising:

- (a) generating a multi-dimensional color transformation for transformation of a source device coordinates-image to a destination device coordinates-image; and
- (b) constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of selected color image data specified by present in the source device coordinates-image.

Claim 2 (Original): The method of claim 1, wherein the multi-dimensional color transformation is configured based on the constraints imposed in step (b).

Claim 3 (Currently Amended): The method of claim 1, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of selected colorants present at corresponding dots in the source image specified by the source device coordinates.

Claim 4 (Currently Amended): The method of claim 1, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of black colorant present at corresponding dots in the source image specified by the source device coordinates.

Claim 5 (Currently Amended): The method of claim 1, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of one or more chromatic colorants present at corresponding dots in the source image specified by the source device coordinates.

Claim 6 (Currently Amended): The method of claim 1, further comprising:

(c) constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent introduction of selected color image data not present in the source image specified by the source device coordinates.

Claim 7 (Currently Amended): The method of claim 6, wherein step (c) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of selected colorants not present at corresponding dots in the source image specified by the source device coordinates.

Claim 8 (Currently Amended): The method of claim 6, wherein step (c) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of black colorant not present at corresponding dots in the source image specified by the source device coordinates.

Claim 9 (Currently Amended): The method of claim 6, wherein step (c) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of one or more chromatic colorants not present at corresponding dots in the source image specified by the source device coordinates.

Claim 10 (Currently Amended): The method of claim 6, wherein step (c) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of chromatic colorants for black-only dots in the source image specified by the source device coordinates.

Claim 11 (Currently Amended): The method of claim 6, further comprising constraining the destination device coordinates produced by the multi-dimensional color transformation in at least one of steps (b) and (c) based at least in part on constraints specified by a user.

Claim 12 (Currently Amended): The method of claim 1, wherein each of the source device coordinates and destination device coordinates ~~images~~ is defined by cyan, magenta, yellow, and black (CMYK) colorants.

Claim 13 (Currently Amended): A method for multi-dimensional color transformation comprising:

- (a) generating a multi-dimensional color transformation for transformation of a source device coordinates ~~image~~ to a destination device coordinates ~~image~~; and
- (b) constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent introduction of selected color image data not specified by present in the source device coordinates ~~image~~.

Claim 14 (Original): The method of claim 13, wherein the multi-dimensional color transformation is configured based on the constraints imposed in step (b).

Claim 15 (Currently Amended): The method of claim 13, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of selected colorants not present at corresponding dots ~~in the source image~~ specified by the source device coordinates.

Claim 16 (Currently Amended): The method of claim 13, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of black colorant not present at corresponding dots ~~in the source image~~ specified by the source device coordinates.

Claim 17 (Currently Amended): The method of claim 13, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of one or more chromatic colorants not present at corresponding dots in the source image specified by the source device coordinates.

Claim 18 (Currently Amended): The method of claim 13, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of chromatic colorants for black-only dots in the source image specified by the source device coordinates.

Claim 19 (Currently Amended): The method of claim 13, wherein each of the source device coordinates and destination device coordinates images is defined by cyan, magenta, yellow, and black (CMYK) colorants.

Claim 20 (Currently Amended): A system for multi-dimensional color transformation comprising:

a processor that generates a multi-dimensional color transformation for transformation of a source device coordinates image to a destination device coordinates image; and

a memory that stores constraints,

wherein the processor is programmed to apply the constraints to constrain the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of selected color image data specified by present in the source device coordinates image.

Claim 21 (Original): The system of claim 20, wherein the multi-dimensional color transformation is configured based on the constraints applied by the processor.

Claim 22 (Currently Amended): The system of claim 20, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of selected colorants present at corresponding dots in the source image specified by the source device coordinates.

Claim 23 (Currently Amended): The system of claim 20, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of black colorant present at corresponding dots ~~in the source image~~ specified by the source device coordinates.

Claim 24 (Currently Amended): The system of claim 20, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of one or more chromatic colorants present at corresponding dots ~~in the source image~~ specified by the source device coordinates.

Claim 25 (Currently Amended): The system of claim 20, wherein the processor is further programmed to constrain the destination device coordinates produced by the multi-dimensional color transformation to prevent introduction of selected color image data not present ~~in the source image~~ specified by the source device coordinates.

Claim 26 (Currently Amended): The system of claim 25, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of selected colorants not present at corresponding dots ~~in the source image~~ specified by the source device coordinates.

Claim 27 (Currently Amended): The system of claim 25, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of black colorant not present at corresponding dots ~~in the source image~~ specified by the source device coordinates.

Claim 28 (Currently Amended): The system of claim 25, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of one or more chromatic colorants not present at corresponding dots ~~in the source image~~ specified by the source device coordinates.

Claim 29 (Currently Amended): The system of claim 25, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of chromatic colorants for black-only dots in the source image specified by the source device coordinates.

Claim 30 (Currently Amended): The system of claim 20, wherein each of the source device coordinates and destination device coordinates ~~images~~ is defined by cyan, magenta, yellow, and black (CMYK) colorants.

Claim 31 (Currently Amended): A system for multi-dimensional color transformation comprising:

a processor that generates a multi-dimensional color transformation for transformation of a source device coordinates ~~image~~ to a destination device coordinates ~~image~~; and

a memory that stores constraints,

wherein the processor is programmed to apply the constraints to constrain the destination device coordinates produced by the multi-dimensional color transformation to prevent introduction of selected color image data not specified by present in the source device coordinates ~~image~~.

Claim 32 (Original): The system of claim 31, wherein the multi-dimensional color transformation is configured based on the constraints applied by the processor.

Claim 33 (Currently Amended): The system of claim 31, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of selected colorants not present at corresponding dots in the source image specified by the source device coordinates.

Claim 34 (Currently Amended): The system of claim 31, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of black colorant not present at corresponding dots in the source image specified by the source device coordinates.

Claim 35 (Currently Amended): The system of claim 31, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of one or more chromatic colorants not present at corresponding dots in the source image specified by the source device coordinates.

Claim 36 (Currently Amended): The system of claim 31, wherein the processor constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of chromatic colorants for black-only dots in the source image specified by the source device coordinates.

Claim 37 (Currently Amended): The system of claim 31, wherein each of the source device coordinates and destination device coordinates ~~images~~ is defined by cyan, magenta, yellow, and black (CMYK) colorants.

Claim 38 (Currently Amended): A computer-readable medium containing program code that when executed by a processor:

- (a) generates a multi-dimensional color transformation for transformation of a source device coordinates image to a destination device coordinates image; and
- (b) constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of selected color image data specified by present in the source device coordinates image.

Claim 39 (Original): The computer-readable medium of claim 38, wherein the multi-dimensional color transformation is configured based on the constraints imposed in step (b).

Claim 40 (Currently Amended): The computer-readable medium of claim 38, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of selected colorants present at corresponding dots in the source image specified by the source device coordinates.

Claim 41 (Currently Amended): The computer-readable medium of claim 38, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of black colorant present at corresponding dots in the source image specified by the source device coordinates.

Claim 42 (Currently Amended): The computer-readable medium method of claim 38, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent removal of one or more chromatic colorants present at corresponding dots in the source image specified by the source device coordinates.

Claim 43 (Currently Amended): The computer-readable medium of claim 38, wherein the program code is configured such that, when executed, the processor:

(c) constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent introduction of selected color image data not present in the source image specified by the source device coordinates.

Claim 44 (Currently Amended): The computer-readable medium of claim 43, wherein step (c) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of selected colorants not present at corresponding dots in the source image specified by the source device coordinates.

Claim 45 (Currently Amended): The computer-readable medium of claim 43, wherein step (c) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of black colorant not present at corresponding dots in the source image specified by the source device coordinates.



Claim 46 (Currently Amended): The computer-readable medium of claim 43, wherein step (c) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of one or more chromatic colorants not present at corresponding dots ~~in the source image~~ specified by the source device coordinates.

Claim 47 (Currently Amended): The computer-readable medium of claim 43, wherein step (c) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of chromatic colorants for black-only dots ~~in the source image~~ specified by the source device coordinates.

Claim 48 (Currently Amended): The computer-readable medium of claim 43, wherein the program code is configured such that, when executed, the processor constrains the destination device coordinates produced by the multi-dimensional color transformation in at least one of steps (b) and (c) based at least in part on constraints specified by a user.

Claim 49 (Currently Amended): The computer-readable medium of claim 38, wherein each of the source device coordinates and destination device coordinates ~~images~~ is defined by cyan, magenta, yellow, and black (CMYK) colorants.

Claim 50 (Currently Amended): A computer-readable medium containing program code that when executed by a processor:

- (a) generates a multi-dimensional color transformation for transformation of a source device coordinates ~~image~~ to a destination device coordinates ~~image~~; and
- (b) constrains the destination device coordinates produced by the multi-dimensional color transformation to prevent introduction of selected color image data not specified by ~~present in the source~~ device coordinates ~~image~~.

Claim 51 (Original): The computer-readable medium of claim 50, wherein the multi-dimensional color transformation is configured based on the constraints imposed in step (b).

Claim 52 (Currently Amended): The computer-readable medium of claim 50, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of selected colorants not present at corresponding dots in the source image specified by the source device coordinates.

Claim 53 (Currently Amended): The computer-readable medium of claim 50, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of black colorant not present at corresponding dots in the source image specified by the source device coordinates.

Claim 54 (Currently Amended): The computer-readable medium of claim 50, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of one or more chromatic colorants not present at corresponding dots in the source image specified by the source device coordinates.

Claim 55 (Currently Amended): The computer-readable medium of claim 50, wherein step (b) includes constraining the destination device coordinates produced by the multi-dimensional color transformation to prevent addition of chromatic colorants for black-only dots in the source image specified by the source device coordinates.

Claim 56 (Currently Amended): The computer-readable medium of claim 50, wherein each of the source device coordinates and destination device coordinates ~~images~~ is defined by cyan, magenta, yellow, and black (CMYK) colorants.

Claim 57 (Withdrawn): A method for multi-dimensional color transformation comprising:  
generating a multi-dimensional color transformation for transformation of first color image data for a source device to second color image data for a destination device; and  
applying constraints to the multi-dimensional color transformation to improve halftone dot integrity between the first color image data and the second color image data.

Claim 58 (Withdrawn): The computer-readable medium of claim 57, wherein the multi-dimensional color transformation is configured based on the constraints.

Claim 59 (New): A method for multi-dimensional color transformation comprising:

applying a multi-dimensional color transformation for transformation of source device coordinates to destination device coordinates; and

constraining the destination device coordinates to a range of matching device coordinates searched by the multi-dimensional color transformation as a function of the source device coordinates.

Claim 60 (New): The method of claim 59, wherein constraining includes constraining the destination device coordinates in the multi-dimensional color transformation to prevent removal of selected color image data specified by the source device coordinates.

Claim 61 (New): The method of claim 59, wherein constraining includes constraining the destination device coordinates in the multi-dimensional color transformation to prevent removal of selected colorants present at corresponding dots specified by the source device coordinates.

Claim 62 (New): The method of claim 59, wherein constraining includes constraining the destination device coordinates in the multi-dimensional color transformation to prevent removal of black colorant present at corresponding dots specified by the source device coordinates.

Claim 63 (New): The method of claim 59, wherein constraining includes constraining the destination device coordinates in the multi-dimensional color transformation to prevent removal of one or more chromatic colorants present at corresponding dots specified by the source device coordinates.

Claim 64 (New): The method of claim 59, wherein constraining includes constraining the destination device coordinates in the multi-dimensional color transformation to prevent introduction of selected color image data not specified by the source device coordinates.

Claim 65 (New): The method of claim 59, wherein constraining includes constraining the destination device coordinates in the multi-dimensional color transformation to prevent addition of selected colorants not present at corresponding dots specified by the source device coordinates.

Claim 66 (New): The method of claim 59, wherein constraining includes constraining the destination device coordinates in the multi-dimensional color transformation to prevent addition of black colorant not present at corresponding dots specified by the source device coordinates.

Claim 67 (New): The method of claim 59, wherein step (b) includes constraining the destination device coordinates in the multi-dimensional color transformation to prevent addition of one or more chromatic colorants not present at corresponding dots specified by the source device coordinates.

Claim 68 (New): The method of claim 59, wherein step (b) includes constraining the destination device coordinates in the multi-dimensional color transformation to prevent addition of chromatic colorants for black-only dots specified by the source device coordinates.